

From: Delwiche, Jim C - DNR [<mailto:Jim.Delwiche@wisconsin.gov>]
Sent: Wednesday, June 21, 2017 11:09 AM
To: Schuh, Karen - MUN <clerk@townofvernon.org>; Wentland, Thomas A - DNR <Thomas.Wentland@wisconsin.gov>; Mylotta, Pamela A - DNR <Pamela.Mylotta@wisconsin.gov>
Cc: Tammy Spone <tspone@townofvernon.org>; bcraig@townofvernon.org; 'Chairman Thomas Bird' <tbird@townofvernon.org>; 'Craig, Bill' <craig-vernon@hotmail.com>; emoline@townofvernon.org; emoline@wi.rr.com; Gary Wilde <gwilde@townofvernon.org>; jeff millies <jmillies@townofvernon.org>; jmillies1@wi.rr.com
Subject: RE: Kaishian Property Water & Gas Monitoring

Hello Town of Vernon,

The letter forwarded was the February, 20012 letter the WDNR sent the Town of Vernon in response to their inquiry and questions regarding the fill area. All questions were answered in the letter. Regular groundwater sampling is being conducted and the results are being monitored. No VOC compounds have been detected, as shown in the results sent to you (and sent back in your latest email). As stated earlier, we are working on having a third well sampled (as the fill area expands for an additional data point), in addition to the two monitored currently. Detected levels of arsenic can be contributed to regional background levels (leaching bedrock) and will continue to be monitored. There is no gas monitoring on going. Please state any specific questions.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

James C. Delwiche
Hydrogeologist – Remediation & Redevelopment Program
Wisconsin Department of Natural Resources
141 NW Barstow Street, Room 180, Waukesha, WI 53188
Phone: (262) 574-2145
Fax: (262) 574-2117
Jim.Delwiche@wisconsin.gov



From: Clerk [<mailto:clerk@townofvernon.org>]
Sent: Thursday, June 15, 2017 8:35 PM
To: Delwiche, Jim C - DNR
Cc: Tammy Spone; bcraig@townofvernon.org; 'Chairman Thomas Bird'; 'Craig, Bill'; emoline@townofvernon.org; emoline@wi.rr.com; Gary Wilde; jeff millies; jmillies1@wi.rr.com
Subject: FW: Kaishian Property Water & Gas Monitoring

Hello Mr. Delwiche,
Chairman Thomas Bird asked me to forward the letter he was referring to. He looks forward to your comments and any information you can send to the Town. Thank you for all your help!

Karen L. Schuh

Town Clerk
Town of Vernon